

## COMEUP Cub 4s carry on 4,000 LB Powersports Portable Winch With Synthetic Rope



- High efficient low amp. draw and sealed permanent magnet motor.
- Lightweight and compact design is easy for front of vehicle.
- 2" rear receiver and quick connector wiring kits for rear of vehicle.
- Winch drum centred avoids tire interference of rope and provides streamlined appearance.
- Mechanical spring applied and permanent magnet motor dynamic brakes together.
- Cam activated clutch device for rapid wire rope pay-out.
- 12 strand construction synthetic rope, coated to improve abrasion resistance and to protect from the ingress of dirt and grit.
- Submersible sealed contactor handles high amps and allows higher duty cycle.



### Accessories:

- Remote control w/3 m cord
- Hawse fairlead
- Synthetic rope 5.5 mm x 15.2 m w/clevis hook
- Mounting hardware
- 2" hitch receiver
- Control box w/handle
- Quick connector wiring kit
- Handsaver strap



Telephone: +44 (0)1482 620991

Email: sales@winchsystems.co.uk

Web: www.winchsystems.co.uk



#### **Powersports Winch:**

##### **Cub Series**

1. High efficiency, low amp and sealed permanent magnet motor
2. Mechanical load holding and dynamic brake for 100% braking
3. Full metal 3-stage planetary gear train for greater pulling force
4. Sliding pin and ring gear clutch device for rapid rope pay-out
5. Submersible sealed contactor handles high amps and allows higher duty cycle

COME UP manufactures a complete line of powersport winches. COME UP winches are always the best choice for a rider who needs pulling out of the mud, snow, ice, or whatever obstacle stands in the way. Cub series winches are designed for endurance and reliability with features like a precision 3-stage planetary gear, centre drum design, weather-sealed contactor, mechanical load holding and an easy-to-use handlebar rocker switch. If you are looking for a powerful Powersports winch to add versatility and dependability to your vehicle, we are confident we have what you want.

#### **Standard Compliance:**

CE Machinery Directive 2006/42/CE

CE Electromagnetic Compatibility Directive 2004/108/EC



Telephone: +44 (0)1482 620991

Email: [sales@winchsystems.co.uk](mailto:sales@winchsystems.co.uk)

Web: [www.winchsystems.co.uk](http://www.winchsystems.co.uk)

## Specification/Part Numbers

- Part number: PN 123930
- Rated line pull: 1,814 kg (4,000 lb) single line
- Motor: 800 w / 1.0 hp 12V permanent magnet
- Gear ratio: 3-stage planetary 191:1
- Clutch (free-spooling): Sliding pin and ring gear
- Brake: Mechanical spring applied and permanent magnet motor dynamic brakes together
- Winch construction: Aluminium die cast housings and drum
- Drum size: 55 x 119 mm (2.2" x 4.7")
- Control: Remote control w/3 m cord
- Rope type: Synthetic rope
- Rope size: 5.5 mm x 15.2 m (7/32" x 50')
- Mounting bolt pattern: 76 x 168 mm (3" x 6.6")
- Winch weight (including rope) : 12.2 kg / 26.9 lb
- Gross weight : 19.1 kg / 42.1 lb
- Box dimension, (L x D x H) : 410 x 200 x 345 mm (16.1" x 7.9" x 13.6")

## Line Speed and Amp. Draw (1st layer of wire rope on the drum):

Line Pull, kg / lb	Line Speed, mpm / fpm	Amp, Draw, A
		12V
No load	6.0 / 19.7	15
454 / 1,000	3.4 / 11.2	70
907 / 2,000	2.9 / 9.5	120
1,361 / 3,000	2.4 / 7.9	180
1,814 / 4,000	2.0 / 6.6	230


## Line Pull and Rope Capacity:

Layer of Rope	Pull by layer, kg / lb	Total Rope on the Drum, m / ft
1 <sup>st</sup>	1,814 / 4,000	4.0 / 13.2
2 <sup>nd</sup>	1,535 / 3,385	8.8 / 28.8
3 <sup>rd</sup>	1,331 / 2,933	14.2 / 46.7
4 <sup>th</sup>	1,174 / 2,588	15.2 / 50



Telephone: +44 (0)1482 620991  
 Email: sales@winchsystems.co.uk  
 Web: www.winchsystems.co.uk

Dimensions, mm/in:



**Warning**

**Winches are not to be used for the lifting or moving of persons.  
The rated line pull shown is based on the first layer of rope on the drum.  
The rope winding on the drum shall remain 10 wraps from the drum.**

**Warranty**

**Each new winch is guaranteed against defects in workmanship and material defects  
for a stipulated period from date of purchase.**

**\*Powersports Winch: Limited lifetime warranty for mechanical components,  
One (1) year warranty for electrical components,  
SYNTHETIC ROPES ARE NOT INCLUDED UNDER WARRANTY.**



Telephone: +44 (0)1482 620991  
Email: sales@winchsystems.co.uk  
Web: www.winchsystems.co.uk