
Winch Systems winch options.

Winch Systems offers optional accessories for standard and custom build winches

All options can be engineered to your specifications and wishes.
Please inform us your requirement.




Options

- Spindle limit switch **C€**
- Galvanized drum guard C€
- Pressure roller
- Slack wire switch
- Free spool claw clutch
- Band brake
- Skid frame
- Angled planetary gearbox
- Spooling gear
- Grooved drum
- Wire rope
- Protection IP56 / TENV

With the Winch Systems winch options you'll add functionality to your winch





Spindle limit switch < €

- Multiple contacts (Standard 2-contacts)
- IP65 / IP66 / IP67



Galvanized drum guard (€


- Hot dip galvanized perforated steel plate
- Optional for multiple wire outlet directions



Pressure roller


Stainless steel springs





Slack wire switch

- Equipped with proximity switch



Free spool claw clutch

- Manual operated
- Hydraulic operated
- Pneumatic operated



Band brake

- Manual operated
- Hydraulic operated
- Pneumatic operated






Skid frame

- Fork lift pockets
- Lifting eyes acc. to DNV
- 2K colour paint (RAL)
- Hot dip galvanized



Angled planetary gearbox

- Horizontal and vertical placement



Spooling gear

- Automatic / manual override






Grooved drum

- Left / Right groove
- Lebus groove possible



Wire rope

- Loose delivery or spooled on drum
- Spooled under tension
- Eye with thimble
- Hook



IP56 / T.E.N.V.

 IP56 protection for electrical motor with or without brake cover

